

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	70	((software or application or module or class) same (debug\$4 or trac\$4 or test\$4)) and (compil\$4 and load\$4) and ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4) near7 (version and path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/27 13:18
S3	51	((software or application or module or class) same (debug\$4 or trac\$4 or test\$4)) and (compil\$4 and load\$4) and ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4) near7 (version and path))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:21
S4	33	((software or application or module or class) same (debug\$4 or trac\$4 or test\$4)) and (compil\$4 and load\$4) and ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4) near7 (version and path))) and (@ad<="19991217" or @rlad<="19991217")) not Ginter. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:19
S5	18	(distributed near5 (package or bundle or software or executable or class)) and "version control" and ((encoded or encrypted or bundled) near4 (version and path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:21
S6	18	(distributed near5 (package or bundle or software or executable or class)) and (version\$4 or debug\$4) and ((encoded or encrypted or bundled) near4 (version and path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:21
S7	18	((distributed near5 (package or bundle or software or executable or class)) and (version\$4 or debug\$4) and ((encoded or encrypted or bundled) near4 (version and path))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:34

S8	243	("3573747" "3609697" "3796830" "3798359" "3798360" "3798605" "3806882" "3829833" "3906448" "3911397" "3924065" "3931504" "3946220" "3956615" "3958081" "3970992" "4048619" "4071911" "4112421" "4120030" "4163280" "4168396" "4196310" "4200913" "4209787" "4217588" "4220991" "4232193" "4232317" "4236217" "4253157" "4262329" "4265371" "4270182" "4278837" "4305131" "4306289" "4309569" "4319079" "4323921" "4328544" "4337483" "4361877" "4375579" "4393269" "4433207" "4434464" "4442486" "4446519" "4454594" "4458315" "4462076" "4462078" "4465901" "4471163" "4484217" "4494156" "4513174" "4528588" "4528643" "4553252" "4558176" "4558413" "4562306" "4562495" "4577289" "4584641" "4588991" "4589064" "4593353" "4593376" "4595950" "4597058" "4634807" "4644493" "4646234" "4652990" "4658093" "4670857" "4672572" "4677434" "4680731" "4683553" "4685056" "4688169" "4691350" "4696034" "4700296" "4701846" "4713238" "4713753" "4740890" "4747139" "4757533" "4757534" "4768087" "4791565" "4796181" "4799156" "4807288" "4817140" "4823264" "4827508" "4858121" "4864494" "4868877" "4903296" "4924378" "4930073" "4949187" "4975647" "4977594" "4999806" "5001752" "5005200" "5005200" "5010571" "5023907" "5047938" "5048085"	USPAT	OR	ON	2003/12/24 09:24
----	-----	---	-------	----	----	------------------

S9	1476	((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:22
S10	5	(versioning same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:41
S11	118	(version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:47
S12	12	((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:34

S13	5	((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine)))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:40
S14	146	((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:40
S15	107	((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:28
S16	69	((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:42

S17	24	(((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))) and (debug\$5 or trac\$4 or check\$4 or bind\$4 or verif\$4 or load\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:28
S18	374	(Cheng or Chen).in. and download\$4 and (version same (path or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:51
S19	1	((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:48
S20	8	((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (version\$4 same (file or object or class or software)) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:49
S21	10	((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:49

S22	8	((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:52
S23	15	(Cheng or Chen).in. and download\$4 and (version same (path or link)) and (ads or advertisement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 09:51
S24	9	((Cheng or Chen).in. and download\$4 and (version same (path or link)) and (ads or advertisement)) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 10:06
S25	66	version\$4 and ((relocatable near5 (module or file or object)) same link\$4) and (PROM or EPROM or flash or (remote adj2 (site or device)) or wireless or download\$4 or transfer\$4 or debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 10:05
S26	58	(version\$4 and ((relocatable near5 (module or file or object)) same link\$4) and (PROM or EPROM or flash or (remote adj2 (site or device)) or wireless or download\$4 or transfer\$4 or debug\$4)) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:20
S27	19	((version\$4 and ((relocatable near5 (module or file or object)) same link\$4) and (PROM or EPROM or flash or (remote adj2 (site or device)) or wireless or download\$4 or transfer\$4 or debug\$4)) and (@ad<="19991217" or @rlad<="19991217")) and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 10:09

S28	3	(version or CASE) and (relocatable adj2 (module or file or object)) and versioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 10:13
S29	13	((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and version and linking and build and (location or path or pathname)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:01
S30	10	((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and version and linking and build and (location or path or pathname)) and (version same (location or path or pathname))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:00
S31	6	((("5659735") or ("4809170") or ("5950209"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/24 13:00
S32	3	((("5659735") or ("4809170") or ("5950209"))).PN.) and version and linking and build and (location or path or pathname)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:15

S33	242	(software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:18
S34	97	((software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))) and (@ad<="19991217" or @rlad<="19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 14:03
S35	41	((software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))) and (@ad<="19991217" or @rlad<="19991217")) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) or ((((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))) or ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:23

S36	41	<p>(((software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))) and (@ad<="19991217" or @rlad<="19991217")) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) or ((((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))) or ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine)))))) and (@ad<="19991217" or @rlad<="19991217"))</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:26
S37	4	<p>((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and (flash or EPROM or PROM) and (device or appliance or wireless or PDA)</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 15:42

S38	1	((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (PROM) and (device or appliance or wireless or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 14:30
S39	1	(download\$4 and (remote or device or wireless or card or appliance)) and (versioned adj2 (object or file or code or executable or module)) and PROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 13:48
S40	13	("5261098" "5467471" "5574898" "5596714" "5649200" "5675802" "5752245" "5758337" "5805889" "5905990" "6119130" "6148308" "6216136").PN.	USPAT	OR	ON	2003/12/24 13:49
S41	46	((path or pathname or location) and version) near5 (variable or parameter or argument)) and (PROM or EPROM)and ((module or application or software or object) near5 (link\$4 or load\$4 or activat\$4 or execut\$4 or bind\$4 or build\$4)) and (download\$4 or send\$4 or transfer\$4 or install\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 14:03
S42	27	((path or pathname or location) and version) near5 (variable or parameter or argument)) and (PROM or EPROM)and ((module or application or software or object) near5 (link\$4 or load\$4 or activat\$4 or execut\$4 or bind\$4 or build\$4)) and (download\$4 or send\$4 or transfer\$4 or install\$4)) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 15:41

S43	11	(((((path or pathname or location) and version) near5 (variable or parameter or argument)) and (PROM or EPROM) and ((module or application or software or object) near5 (link\$4 or load\$4 or activat\$4 or execut\$4 or bind\$4 or build\$4)) and (download\$4 or send\$4 or transfer\$4 or install\$4)) and (@ad<="19991217" or @rlad<="19991217")) and link\$4 and (version same (path or pathname or location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 14:04
S44	4	((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (version and path) and (global adj2 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 14:30
S45	53	ClearCase and (@ad<="19991217" or @rlad<="19991217") and version\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 15:45
S46	4	((((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (flash or EPROM or PROM) and (device or appliance or wireless or PDA)) and (flash or EPROM or PROM) and (device or appliance or wireless or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 15:46

S47	53	ClearCase and (ClearCase and (@ad<="19991217" or @rlad<="19991217") and version\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/24 15:45
S48	2	(ClearCase and (@ad<="19991217" or @rlad<="19991217") and version\$4) and (flash or EPROM or PROM) and (device or appliance or wireless or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:13
S49	5098	((717/122-126,142,145,163-167, 170) or (709/331) or (707/1, 203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/27 13:20
S50	111	(((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:32
S51	13	(((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and Clearcase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:33
S52	13	((((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code")))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and Clearcase) not (Ericsson.as. or Telefonak.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:35

S53	8	(binary or excutable or (object adj2 (file or module)) or native) same ((configuration adj2 record) near8 (download\$4 or install\$4 or bundl\$4 or packag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:37
S54	838	((configuration adj2 (script or record or file)) near8 (download\$4 or install\$4 or bundl\$4 or packag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:56
S55	1	((path and version) near8 (binary or excutable or (object adj2 (file or module)) or native)) and (((configuration adj2 (script or record or file)) near8 (download\$4 or install\$4 or bundl\$4 or packag\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:57
S56	13	(path and version) near9 (configuration adj2 (script or record or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 11:01
S57	9	((path and version) near9 (configuration adj2 (script or record or file))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:12
S58	4	(path and version) near9 ((installation or metadata) adj2 (manifest or script or record or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 11:03
S59	8	(path and version) near9 ((installation or metadata) near3 (manifest or script or record or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 11:03
S60	3	((path and version) near9 ((installation or metadata) near3 (manifest or script or record or file))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 11:07
S61	16	(metadata or manifest or configuration or header) near5 (includ\$4 near4 (path and version))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 11:07

S62	2	((metadata or manifest or configuration or header) near5 (includ\$4 near4 (path and version))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:10
S63	18	Makefile.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:12
S64	12	Makefile.ab. and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:20
S65	2	(Makefile.ab. and (@ad<="19991217" or @rlad<="19991217")) and ((version and pathname) or (PATH or VERSION))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:44
S66	22	((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4 or download\$4) same (makefile and (object adj2 file))) and (version and (path or pathname))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:20
S67	16	((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4 or download\$4) same (makefile and (object adj2 file))) and (version and (path or pathname))) and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:55
S68	0	Luu.in. and configuration and makefile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:56
S69	122	Luu.in. and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:56
S70	0	(Luu.in. and configuration) and ("Kakali.xp" or "kakali.xa")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:57

S71	0	(Luu.in. and configuration) and "717"/\$ and Clearcase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 13:57
S72	3	(Luu.in. and configuration) and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:11
S73	39	(configuration adj2 (file or record or script or makefile)) near8 (version and (location or pathname or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:12
S74	41	(configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:15
S75	16	((configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL))) and (@ad<="19991217" or @rlad<="19991217") and version\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:16
S76	48	(configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 16:15
S77	19	((configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL or path))) and (@ad<="19991217" or @rlad<="19991217") and version\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:01
S78	4	((configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL or path))) and (@ad<="19991217" or @rlad<="19991217") and version\$4) and conflict and (path or pathname or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:01

S79	34	(US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$).did.	USPAT; DERWENT	OR	OFF	2004/05/25 17:17
S80	6	((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and (path same version) and (configuration same file) and (conflict or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:19

S81	0	((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and ((path same exclud\$5) and (configuration same file) and (conflict or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:19
S82	15	((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and (path and (configuration same file) and (conflict or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:20

S83	1	((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and Luu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 17:20
S84	34	(US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.	USPAT; DERWENT	OR	OFF	2004/05/26 08:42

S85	14	((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and ((path and version) and (configuration adj2 (script or record or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:48
S86	9	((((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and ((path and version) and (configuration adj2 (script or record or file)))) and (version near4 configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:35

S87	1	((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and Luu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:37
S88	4	((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and Leblang.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 12:41
S15 2	0	(ELF adj file) same ((load\$3 near5 (relocatable or module)) and (version near5 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:45
S15 3	42	((load\$3 near5 (relocatable or module)) and (version near5 path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:44

S15 4	24	S153 and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:47
S15 5	0	(ELF adj file) and (bind\$4 or relocat\$4 or loader) and (version near5 path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:46
S15 6	1	(ELF adj file) and (bind\$4 or relocat\$4 or loader) and (version same path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:47
S15 7	7	(ELF adj file) and (bind\$4 or relocat\$4 or loader) and (version same section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:47
S15 8	1	S157 and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:55
S15 9	32	(link\$4 same librar\$4 same makefile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:55
S16 0	10	S159 and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:01
S16 1	2	S160 and relocat\$4 and (object near2 (file module)) and version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:56
S16 2	6	("5956513" or "5574898" or "5950011").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 13:23
S16 3	32	(link\$4 same librar\$4 same makefile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:01

S16 4	10	S163 and (@ad<="19991217" or @rlad<="19991217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:01
S16 5	35	(US-4667290-\$ or US-5499365-\$ or US-5517636-\$ or US-5574898-\$ or US-5649200-\$ or US-5713009-\$ or US-5748961-\$ or US-5771381-\$ or US-5860012-\$ or US-5950011-\$ or US-5950209-\$ or US-5956513-\$ or US-5974470-\$ or US-5987561-\$ or US-6009274-\$ or US-6079006-\$ or US-6108727-\$ or US-6151567-\$ or US-6178546-\$ or US-6185734-\$ or US-6195795-\$ or US-6311214-\$ or US-6425125-\$ or US-6427140-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-6487713-\$ or US-6542927-\$ or US-6564369-\$ or US-6590588-\$ or US-6591413-\$ or US-6650761-\$ or US-6658659-\$).did. or (US-5574898-\$ or US-5649200-\$).did.	USPAT; DERWENT	OR	ON	2005/01/15 14:11
S16 6	7	S165 and makefile and (ELF or (path and version))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:15
S16 7	1	relocatable and (clearmake clearcase (makefile and ELF)) and (".lnk" or LNK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:18
S16 8	1	(@ad<="19991217" or @rlad<="19991217") and (makefile) and ((relocatable near2 file) or (".o" same link\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 15:01
S16 9	7	S165 and (path\$5 same version) and (makefile or linker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:45
S17 0	67	(path\$5 and version) same (makefile or linker or (MAKE adj utility))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:46

S17 1	16	(@ad<="19991217" or @rlad<="19991217") and (makefile) and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 15:00
S17 2	2	(@ad<="19991217" or @rlad<="19991217") and (path\$5 same version same makefile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:33
S17 3	2	"5805899".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:29
S17 4	3	makefile same ('\$INCLUDE' and '\$pathname')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:33
S17 5	11	makefile same ('\$INCLUDE' and '\$path')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:33
S17 6	6	(@ad<="19991217" or @rlad<="19991217") and S175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:34